

BECKOTHANE M21/40X

Non Yellowing Polyurethane Clear

Description:

Beckothane M21/40X is an aromatic moisture-curing polyurethane, which cures to give extremely tough and hardwearing films with excellent flexibility, abrasion-resistance, chemical-resistance and gloss.

Application:

Beckothane M21/40X may be used for coating interior surfaces, including concrete, particleboard, wooden floors and cork tiles. It is designed principally for trade and professional use and is supplied ready to apply.

Typical Properties:

Appearance:	Clear solution
Solids content (wt %)	40
Colour (Gardner)	1
Viscosity (Gardner Holdt)	B-E
Available NCO (Solution)	2.5%
Specific Gravity	0.96
Solvent	Xylene

Storage:

Beckothane M21/40X should be stored under cover of direct sunlight and avoiding extreme temperature changes. Under normal storage conditions (5 – 35°C, away from extremes) sealed, unopened containers of this material would have a shelf life of 12 months from the date of manufacture. If stored for longer than 12 months, product must be rechecked for suitability in the intended application.

Safety: Refer to Safety Data Sheet before handling or use.



Product:	BECKOTHANE
Issue Date:	NOV 2017
Issue No:	DO2

The information and any recommendations relating to the application and end-use of all AFTEK products are provided in good faith based on AFTEK's knowledge and experience of the products. In applications, the differences in materials, and variances of substrates and actual site conditions can vary such that no warranty in respect of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be taken as inferred either from this information, or from any written recommendations, or from any other advice offered by AFTEK. The proprietary rights of third parties must be observed. All orders are accepted subject to our sale terms and conditions. All users should always refer to the most recent and up to date issue of the Technical Data Sheet for the product concerned, which is available on request. It is recommended that products should always be properly stored, handled and applied under tested and recommended conditions.